VOLUME CONTENTS

Number 1

W. B. Rowe	1	Thermal analysis of high efficiency deep grinding
J. P. Davim and C. A. Conceição António	21	Optimal drilling of particulate metal matrix composites based on experimental and numerical procedures
J. C. Ramos, J. Vinolas and F. J. Nieto	33	A simplified methodology to determine the cutting stiffness and the contact stiffness in the plunge grinding process
H. J. Pahk, D. S. Lee and J. H. Park	51	Ultra precision positioning system for servo motor–piezo actuator using the dual servo loop and digital filter implementation
M. Weck, P. Krüger and C. Brecher	65	Limits for controller settings with electric linear direct drives
X. D. Fang and N. J. Lee	89	A new tooling mechanism for CNC lathes
G.-C. Wang, K.-H. Fuh and B.-H. Yan	103	A new mathematical model for multifacet drills derived by using angle-solid model
C.-C. Lo and R.-S. Lin	133	An improved method for scheduling the tool paths for three-axis surface machining
G. Chen, J. Yuan and J. Ni	149	A displacement measurement approach for machine geometric error assessment

Number 2

L. Özler, A. İnan and C. Özel	163	Theoretical and experimental determination of tool life in hot machining of austenitic manganese steel
F. Faura, J. López and J. Hernández	173	On the optimum plunger acceleration law in the slow shot phase of pressure die casting machines
J. Qian, H. Ohmori and W. Lin	193	Internal mirror grinding with a metal/metal–resin bonded abrasive wheel
A. Olofinjana, P. K. D. V. Yarlagadda and A. Oloyede	209	Microwave processing of adhesive joints using a temperature controlled feedback system
C. Andersson, M. T. Andersson and J.-E. Ståhl	227	Bandsawing. Part I: cutting force model including effects of positional errors, tool dynamics and wear
C. Andersson, J.-E. Ståhl and H. Hellbergh	237	Bandsawing. Part II: detecting positional errors, tool dynamics and wear by cutting force measurement
C. Andersson	255	Bandsawing. Part III: stress analysis of saw tooth microgeometry
S. Jayaram, S. G. Kapoor and R. E. DeVor	265	Estimation of the specific cutting pressures for mechanistic cutting force models
Z. Wang, P. Willett, P. R. DeAguiar and J. Webster	283	Neural network detection of grinding burn from acoustic emission

Number 3

J.-P. Wang	311	A new evaluation to friction analysis for the ring test
N. R. Chitkara and Y. J. Kim	325	Near-net shape forging of a crown gear: some experimental results and an analysis
Y. Jimbo and A. Azushima	347	Effect of carbide properties of roll materials on lubricity in cold sheet rolling of low-carbon steel

D. K. Y. Low, L. Li, A. G. Corfe and P. J. Byrd 361 Spatter-free laser percussion drilling of closely spaced array holes

A. Milecki 379 Investigation and control of magneto–rheological fluid dampers

V. P. Astakhov, M. O. M. Osman and M. T. Hayajneh 393 Re-evaluation of the basic mechanics of orthogonal metal cutting: velocity diagram, virtual work equation and upper-bound theorem

D. T. Pham and S. Sagiroglu 419 Training multilayered perceptrons for pattern recognition: a comparative study of four training algorithms

M. Rahman, M. A. Mansur, L. K. Lee and J. K. Lum 431 Development of a polymer impregnated concrete damping carriage for linear guideways for machine tools

W. Bouzid Saï, N. Ben Salah and J. L. Lebrun 443 Influence of machining by finishing milling on surface characteristics

D. K. Baek, T. J. Ko and H. S. Kim 451 Optimization of feedrate in a face milling operation using a surface roughness model

Number 4

W.-S. Yun and D.-W. Cho 463 Accurate 3-D cutting force prediction using cutting condition independent coefficients in end milling

D. Renton and M. A. Elbestawi 479 Motion control for linear motor feed drives in advanced machine tools

S. J. Drew, M. A. Mannan, K. L. Ong and B. J. Stone 509 The measurement of forces in grinding in the presence of vibration

H. Qiu, Y. Li and Y. Li 521 A new method and device for motion accuracy measurement of NC machine tools. Part 1: principle and equipment

H. Qiu, Y. Li and Y. Li 535 A new method and device for motion accuracy measurement of NC machine tools. Part 2: device error identification and trajectory measurement of general planar motions

M.-Y. Yang and W.-P Hong 555 A PC–NC milling machine with new simultaneous 3-axis control algorithm

S. A. Spiewak and T. Nickel 567 Vibration based preload estimation in machine tool spindles

Z. Hu, M. Labudovic, H. Wang and R. Kovacevic 589 Computer simulation and experimental investigation of sheet metal bending using laser beam scanning

Y. Gao, D. Zhang and C. W. Yu 609 Dynamic modeling of a novel workpiece table for active surface grinding control

Number 5

Q. Peng and M. Loftus 625 Using image processing based on neural networks in reverse engineering

L.-B. Zhang, L.-J. Wang, X.-Y. Liu, H.-W. Zhao, X. Wang and H.-Y. Luo 641 Mechanical model for predicting thrust and torque in vibration drilling fibre-reinforced composite materials

Z. J. Pei and A. Strasbaugh 659 Fine grinding of silicon wafers

P. Srinivasa Pai, T. N. Nagabhushana and P. K. Ramakrishna Rao 673 Tool wear estimation using resource allocation network

S. Hinduja, A. Roaydi, P. Philimis and G. Barrow 687 Determination of optimum cutter diameter for machining $2\frac{1}{2}$-D pockets

J. Lin, A. A. Ball and J. J. Zheng 703 Approximating circular arcs by Bézier curves and its application to modelling tooling for FE forming simulations

D. A. Axinte, W. Belluco and L. De Chiffre 719 Evaluation of cutting force uncertainty components in turning

W. Hu and Z. R. Wang 731 Theoretical analysis and experimental study to support the development of a more valuable roll-bending process

B. Pan, D. J. Kim, B. M. Kim and T. A. Dean 749 Incremental deformation and the forgeability of γ titanium aluminide

M. Koç, Y. Aue-u-lan and T. Altan 761 On the characteristics of tubular materials for hydroforming—experimentation and analysis

Number 6

L. Yang and I. Yellowley 773 High-speed contouring using a novel dynamic interpolation mechanism

K. D. Oldknow and I. Yellowley 795 Design, implementation and validation of a system for the dynamic reconfiguration of open architecture machine tool controls

S.-M. Kim and S.-K. Lee 809 Prediction of thermo-elastic behavior in a spindle–bearing system considering bearing surroundings

S. H. Suh, W. S. Jih, H. D. Hong and D. H. Chung 833 Sculptured surface machining of spiral bevel gears with CNC milling

C. F. Cheung and W. B. Lee 851 Characterisation of nanosurface generation in single-point diamond turning

C. E. Leshock, J.-N. Kim and Y. C. Shin 877 Plasma enhanced machining of Inconel 718: modeling of workpiece temperature with plasma heating and experimental results

J.-S. Kwak and J.-B. Song 899 Trouble diagnosis of the grinding process by using acoustic emission signals

M. A. Fugelso 915 A standard conical point drill grinding machine

Number 7

J. Kim, S. Min and D. A. Dornfeld 923 Optimization and control of drilling burr formation of AISI 304L and AISI 4118 based on drilling burr control charts

E.-S. Lee and N.-H. Kim 937 A study on the machining characteristics in the external plunge grinding using the current signal of the spindle motor

W.-H. Zhu, M. B. Jun and Y. Altintas 953 A fast tool servo design for precision turning of shafts on conventional CNC lathes

J. Lawrence, M. J. J. Schmidt and L. Li 967 The forming of mild steel plates with a 2.5 kW high power diode laser

G. J. Trmal and F. Holesovsky 979 Wave-shift and its effect on surface quality in super-abrasive grinding

T. J. Nye 991 Optimal nesting of irregular convex blanks in strips via an exact algorithm

D. A. Axinte, W. Belluco, L. De Chiffre 1003 Reliable tool life measurements in turning — an application to cutting fluid efficiency evaluation

P. Kwon, T. Schiemann and R. Kountanya 1015 An inverse estimation scheme to measure steady-state tool–chip interface temperatures using an infrared camera

E. C. De Meter, W. Xie, S. Choudhuri, S. Vallapuzha and M. W. Trethewey 1031 A model to predict minimum required clamp pre-loads in light of fixture–workpiece compliance

J. Barry, G. Byrne and D. Lennon 1055 Observations on chip formation and acoustic emission in machining Ti–6Al–4V alloy

Number 8

E. Capello and Q. Semeraro 1071 The harmonic fitting method for the assessment of the substitute geometry estimate error. Part I: 2D and 3D theory

E. Capello and Q. Semeraro 1103 The harmonic fitting method for the assessment of the substitute geometry estimate error. Part II: statistical approach, machining process analysis and inspection plan optimisation

R. G. Reddy, R. E. DeVor, S. G. Kapoor and Z. Sun 1131 A mechanistic model-based force-feedback scheme for voice-coil actuated radial contour turning

D. T.-Y. Huang and J.-J. Lee 1149 On obtaining machine tool stiffness by CAE techniques

C.-S. Deng, J.-C. Huang and J.-H. Chin 1165 Effects of support misalignments in deep-hole drill shafts on hole straightness

B. Ghahramani and Z. Y. Wang 1189 Precision ultrasonic machining process: a case study of stress analysis of ceramic (Al_2O_3)

T. Schmitz, M. Davies, B. Dutterer and J. Ziegert 1209 The application of high-speed CNC machining to prototype production

Number 9

V. T. Portman, B.-Z. Sandler and E. Zahavi 1229 Rigid 6-DOF parallel platform for precision 3-D micromanipulation

B. Y. Lee and Y. S. Tarng 1251 Surface roughness inspection by computer vision in turning operations

J. Wang 1265 Development of a chip flow model for turning operations

J. Kopac, M. Korosec and K. Kuzman 1275 Determination of flow stress properties of machinable materials with help of simple compression and orthogonal machining test

Y. H. Moon, Y. K. Kang, J. W. Park and S. R. Gong 1283 Tool temperature control to increase the deep drawability of aluminum 1050 sheet

R. Jagirdar, V. K. Jain and J. L. Batra 1295 Characterization and identification of forming features for 3-D sheet metal components

K. Erkorkmaz and Y. Altintas 1323 High speed CNC system design. Part I: jerk limited trajectory generation and quintic spline interpolation

H. M. Ertunc and K. A. Loparo 1347 A decision fusion algorithm for tool wear condition monitoring in drilling

H. M. Ertunc, K. A. Loparo and H. Ocak 1363 Tool wear condition monitoring in drilling operations using hidden Markov models (HMMs)

Number 10

K.-M. Tsai and P.-J. Wang 1385 Predictions on surface finish in electrical discharge machining based upon neural network models

X. Mei, M. Tsutsumi, T. Yamazaki and N. Sun 1405 Study of the friction error for a high-speed high precision table

S. Y. Hong and Y. Ding 1417 Cooling approaches and cutting temperatures in cryogenic machining of Ti-6Al-4V

S. Segonds, P. Lagarrigue, J. M. Redonnet and W. Rubio 1439 Compensation for machining defects due to spindle dilatation

K.-M. Tsai and P.-J. Wang 1455 Semi-empirical model of surface finish on electrical discharge machining

F. L. Chen and E. Siores 1479 The effect of cutting jet variation on striation formation in abrasive water jet cutting

K. Erkorkmaz and Y. Altintas 1487 High speed CNC system design. Part II: modeling and identification of feed drives

M. Shatla, C. Kerk and T. Altan 1511 Process modeling in machining. Part I: determination of flow stress data

Number 11

L.-Y. Kuo and J.-Y. Yen 1535 Servo parameter tuning for a 5-axis machine center based upon GA rules

R. G. Reddy, R. E. DeVor and S. G. Kapoor 1551 A mechanistic force model for combined axial–radial contour turning

N. K. Jain and V. K. Jain 1573 Modeling of material removal in mechanical type advanced machining processes: a state-of-art review

K. Erkorkmaz and Y. Altintas 1637 High speed CNC system design. Part III: high speed tracking and contouring control of feed drives

M. Shatla, C. Kerk and T. Altan 1659 Process modeling in machining. Part II: validation and applications of the determined flow stress data

Short Communication

A. R. C. Sharman, D. K. Aspinwall, R. C. Dewes, D. Clifton and P. Bowen 1681 The effects of machined workpiece surface integrity on the fatigue life of γ-titanium aluminide

Erratum

S. Hinduja, A. Roaydi, P. Philimis and G. Barrow 1687 Erratum to "Determination of optimum cutter diameter for machining $2\frac{1}{2}$-*D* pockets"

Number 12

R. K. Jain and V. K. Jain 1689 Specific energy and temperature determination in abrasive flow machining process

M. M. El-Khabeery and M. H. El-Axir 1705 Experimental techniques for studying the effects of milling roller-burnishing parameters on surface integrity

M. D. Chen, R. Q. Hsu and K. H. Fuh 1721 Forecast of shear spinning force and surface roughness of spun cones by employing regression analysis

F. Xi 1735 A comparison study on hexapods with fixed-length legs

S.-M. Kim, J.-H. Ha, S.-H. Jeong and S.-K. Lee 1749 Effect of joint conditions on the dynamic behavior of a grinding wheel spindle

B. Rao and Y. C. Shin 1763 Analysis on high-speed face-milling of 7075-T6 aluminum using carbide and diamond cutters

C. Son 1783 A neural/fuzzy optimal process model for robotic part assembly

E. U. Enemuoh, A. S. El-Gizawy and A. C. Okafor 1795 An approach for development of damage-free drilling of carbon fiber reinforced thermosets

R. Hambli 1815 Blanking tool wear modeling using the finite element method

P. S. Sreejith and B. K. A. Ngoi 1831 Material removal mechanisms in precision machining of new materials

Numbers 13–14
SPECIAL ISSUE
THE EIGHTH INTERNATIONAL CONFERENCE ON METROLOGY AND PROPERTIES OF ENGINEERING SURFACES

L. Blunt and K. J. Stout 1845 Foreword

TOPOLOGY

D. J. Whitehouse 1847 Function maps and the role of surfaces

K. Yanagi, S. Hara and T. Endoh 1863 Summit identification of anisotropic surface texture and directionality assessment based on asperity tip geometry

F. Barré and J. Lopez	1873	On a 3D extension of the MOTIF method (ISO 12085)
R. J. Pike	1881	Digital terrain modelling and industrial surface metrology — converging crafts
P. J. Scott	1889	An algorithm to extract critical points from lattice height data
R. Ohlsson, A. Wihlborg and H. Westberg	1899	The accuracy of fast 3D topography measurements
CONTACT MECHANICS		
S. A. Chizhik, N. B. Gaiduk and N. K. Myshkin	1909	Computer simulation of precision contact with account of microgeometrical and mechanical heterogeneity of surfaces
K. Sasajima, K. Naoi and T. Tsukada	1917	An evaluation of surface asperity profile changes in truncation processes using optical interferometric microscope
C. A. Brown and S. Siegmann	1927	Fundamental scales of adhesion and area–scale fractal analysis
Z. Néder and K. Váradi	1935	Contact behaviour of the original and substituted real surfaces
M. Vermeulen and J. Scheers	1941	Micro-hydrodynamic effects in EBT textured steel sheet
A. Wihlborg and R. Crafoord	1953	Steel sheet surface topography and its influence on friction in a bending under tension friction test
H. Zahouani, M. Assoul, R. Vargiolu and T. Mathia	1961	The morphological tree transform of surface motifs. Incidence in tribology
INSTRUMENTATION		
H. Trumpold	1981	Process related assessment and supervision of surface textures
T. S. Bergstrom and C. A. Brown	1995	Interaction between horizontal scanning instruments and surfaces
S. Lu, Y. Gao, T. Xie, F. Xie, X. Q. Jiang, Z. Li and F. Wang	2001	A novel contact/non-contact hybrid measurement system for surface topography characterization
S. Zahwi and A. M. Mekawi	2011	Some effects of stylus force on scratching surfaces
M. Wieczorowski	2017	Spiral sampling as a fast way of data acquisition in surface topography
L. Zou, D. Y. D. Samarawickrama, V. Jovanovski and J. C. Shelton	2023	Measurements of sequential impressions of acetabula cups from a total hip joint replacement using a non-contact measurement system
H. J. Pahk and W. J. Ahn	2031	A new method of noncontact measurement for 3D micro pattern in semiconductor wafer: implementing a new optical probe
ENGINEERING SURFACES		
K. J. Stout and L. Blunt	2039	A contribution to the debate on surface classifications—random, systematic, unstructured, structured and engineered
Y. Zhang, Y. Luo, J. F. Wang and Z. Li	2045	Research on the fractal of surface topography of grinding
F. Sacerdotti, B. J. Griffiths, F. Benati, C. Butler, M. Jonasson, G. Liraut, B. G. Rosen, J. Scheers, P. Scott and D. J. Wentink	2051	Hardware variability in the three-dimensional measurement of autobody steel panel surfaces
B.-G. Rosén and T. R. Thomas	2061	Relationship of the plasticity index to machining parameters
K. H. Wang, L. Blunt, L. T. Mao, C. C. Chao and K. J. Stout	2071	The effects of operational parameters on surface characteristics of the ballised material
MEASUREMENT AND CALIBRATION		
M. Aketagawa and K. Takada	2079	Length and angle measurements using regular crystalline lattice as reference

A. J. Baker and W. J. Giardini 2087 Developments in Australia's surface roughness measurement system

J. Condeço, L. H. Christensen and B.-G. Rosén 2095 Software relocation of 3D surface topography measurements

S. J. Xiao, X. Q. Jiang, L. Blunt and P. J. Scott 2103 Comparison study of the biorthogonal spline wavelet filtering for areal rough surfaces

R. K. Leach 2113 NanoSurf IV: traceable measurement of surface texture at the National Physical Laboratory, UK

R. Krüger-Sehm and J. A. Luna Perez 2123 Proposal for a guideline to calibrate interference microscopes for use in roughness measurements

L. Nilsson and R. Ohlsson 2139 Accuracy of replica materials when measuring engineering surfaces

N. M. Durakbasa, P. H. Osanna and A. Afjehi-Sadat 2147 A general approach to workpiece characterization in the frame of GPS (Geometrical Product Specification and Verification)

CHARACTERISATION AND FILTRATION

S. Brinkmann, H. Bodschwinna and H.-W. Lemke 2153 Accessing roughness in three-dimensions using Gaussian regression filtering

X. Q. Jiang, L. Blunt and K. J. Stout 2163 Lifting wavelet for three-dimensional surface analysis

S. H. Bui, V. Gopalan and J. Raja 2171 An internet based surface texture information system

Z. Jiang, H. Wang and B. Fei 2179 Research into the application of fractal geometry in characterising machined surfaces

F. Xiong, X. Q. Jiang, Y. Gao and Z. Li 2187 Evaluation of engineering surfaces using a combined fractal modeling and wavelet analysis method

Number 15

S. Engin and Y. Altintas 2195 Mechanics and dynamics of general milling cutters. Part I: helical end mills

S. Engin and Y. Altintas 2213 Mechanics and dynamics of general milling cutters. Part II: inserted cutters

M. Hu, Z. Lin, X. Lai and J. Ni 2233 Simulation and analysis of assembly processes considering compliant, non-ideal parts and tooling variations

S. Y. Hong, I. Markus and W.-c. Jeong 2245 New cooling approach and tool life improvement in cryogenic machining of titanium alloy Ti-6Al-4V

M. Bono and J. Ni 2261 The effects of thermal distortions on the diameter and cylindricity of dry drilled holes

S. Y. Hong, Y. Ding and W.-c. Jeong 2271 Friction and cutting forces in cryogenic machining of Ti–6Al–4V

Y.-M. Lim and S. H. Kim 2287 An electrochemical fabrication method for extremely thin cylindrical micropin